

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 05/10/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400 or send an email to tracy.sargent@state.de.us. Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water; Web Site: www.awm.delaware.gov

NEWS UPDATES:

DNREC WORKS WITH DELAWARE CITY REFINERY TO ACCELERATE AIR QUALITY IMPROVEMENTS - In anticipation of its restart, the Delaware City Refining Company has received permits from DNREC and begun a series of projects that are expected to improve the environmental performance of the facility, as part of its commitment to the state to reduce the refinery's emissions below all previous years of operation from day one. Over the past year, DNREC has been in constant communication with the refinery's new owner and management team to ensure that the turnaround activities proceeded in compliance with environmental regulations; that all required permits have been obtained, and that environmental obligations are understood and fulfilled since PBF Energy LLC purchased the refinery from Valero last year. For additional information, please contact Ravi Rangan at (302) 323-4542 or visit:

http://www.dnrec.delaware.gov/News/Pages/DNREC_works_with_Delaware_City_refinery_to_accelerate_air_quality_improvements.aspx

NEW CASTLE COUNTY RESIDENTIAL YARD WASTE DROP-OFF AREA OPENS AT HOLLAND MULCH - Senator Harris McDowell, Representative Debra Heffernan, DNREC Secretary Collin O'Mara and Holland Mulch owner John Duffy today announced that Brandywine Hundred residents now have a long-term, free option for disposal of their yard waste. As part of a public/private arrangement, Holland Mulch has agreed to a five-year commitment to the community, with a separate entrance on Holland Mulch's Hay Road site opened specifically for residents to drop off their yard waste free of charge. Holland Mulch has been accepting yard waste from residents since DNREC closed the Brandywine Hundred yard waste demonstration site at Bellevue State Park last June due to concerns from the neighboring community. Holland Mulch will offer a free yard waste drop-off site to residents for at least five years. The company, located at 135 Hay Road in Edgemoor, has constructed the separate yard waste drop-off entrance and exit for residents on the west side of Hay Road. The drop-off site will be monitored by Holland Mulch staff and available for Delaware residents to drop off their yard waste during the company's normal weekday business hours Monday through Friday from 7:30 a.m. - 4 p.m. and Saturdays from 7:30 a.m. - noon. For additional information, please contact Deb Nielsen at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/News/Pages/Residentialyardwastedrop-offareaopensatHollandMulch.aspx>

UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:

AQUATIC PESTICIDES REGULATORY ADVISORY COMMITTEE MEETING – The Aquatic Pesticides Regulatory Advisory Committee will hold a public meeting on May 12, 2011 from 9:00am – 11:00am at the DNREC Richardson & Robbins Building, Secretary's Conference Room, 89 Kings Highway, Dover DE, 19901. For more information, please contact Steve Mann at (302) 739-9946 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/2542C78A913400BB852578850057766C?open>

DELAWARE SOLID WASTE AUTHORITY (DSWA) REQUEST FOR MAJOR MODIFICATION TO SOLID WASTE POST-CLOSURE PERMIT FOR THE PIGEON POINT LANDFILL – The Solid Hazardous Waste Management Section (SHWMS) has received a request to hold a public hearing on the DSWA's request to modify permit SW-08/01. The permit, issued in November 2008, regulates post-closure care for the Pigeon Point Landfill, a closed landfill which stopped accepting solid wastes in 1985. DSWA has requested permit modifications which include changes to some inspection and monitoring requirements as well as removing 4 tax parcels referenced in the permit. Additionally, as a result of the DSWA's appeal of permit SW-08/01, the DNREC has entered into a Stipulated Agreement regarding these and other administrative changes to be considered during the permit modification process. Upon completion of the public participation process and if the Secretary finds that issuance of all or part of the requested modifications are warranted, DNREC shall issue an amended permit which takes into consideration public comment. This closed landfill is located at 1101 Lambson Lane in New Castle. The public hearing will be held beginning at 6:00 PM on May 23, 2011 at the Rose Hill Community Center, 19 Lambson Lane in New Castle. If you are unable to attend the public hearing and/or prefer to submit written comments, then provide your comments to DNREC by May 23, 2011 to ensure that they are included in the public record. For additional information, please contact Robert Hartman at (302) 739-9403 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1089&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:

BROWNFIELDS DEVELOPMENT PROGRAM – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Section (SIRS) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRS's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

NOTIFICATION OF PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 901 EAST 17TH STREET SITE (DE-1505) – The Site Investigation and Restoration Section (SIRS) negotiated a Brownfields Development Agreement (BDA) with Vandever Avenue Civic Association regarding the 901 East 17th Street Site (Site) located at 901 East 17th Street in Wilmington. Known by New Castle County as tax parcel number 26-029.40-283, the 0.03 acre Site may contain hazardous substances as a result of past use that included operation as a former dry cleaner. The SIRS invites written public comments on this BDA. The public comment period begins on April 25, 2011 and will close on May 16, 2011. For additional information, please contact, Kate Durant at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1078&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 733 S. MARKET STREET SITE (DE-1502) - The Site Investigation and Restoration Section (SIRS) announces the Proposed Plan of Remedial Action (Proposed Plan) for the 733 S. Market Street Site (Site). The 0.95 acre Site is located south of the intersection of South Market Street and James Court in Wilmington. Two underground storage tanks (USTs) were removed from the property in the mid 90's. Due to the past industry of the Wilmington Riverfront, the soil/fill that was

placed over the marshland and surrounding area is believed to be a source of potential contamination for this property. A large amount of environmental data exists from previous DNREC Delaware Brownfield Program investigations in the immediate vicinity of this site that show soil impacts from PAH's, lead and arsenic. Potential contaminants at the site are also likely to include these compounds. Based on the existing information and our knowledge of this site, it is unlikely that additional impacts will be found, however, a site investigation is currently being conducted to assess if there are additional impacts. This site investigation will be completed in April 2011. For additional information, please contact Larry Jones at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1082&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FINAL PLAN OF REMEDIAL ACTION FOR THE UP THE CREEK SITE (DE-1384) The Site Investigation and Restoration Section (SIRS) has adopted a plan to clean up the Up the Creek Site at 1195 East 7th Street, Wilmington. The 4.52 acre Site is currently covered with soil, gravel pavement, grass and buildings. The soil is contaminated with metals and several semi-volatile organic compounds. The Final Plan includes covering the surface with a cap that may consist of buildings, pavement or soil depending on final development plan; excavation of soil in the vicinity of TP14/burn pit area; a Contaminated Materials Management Plan and Site Specific Health and Safety Plan; a Long Term Stewardship Plan with annual inspections; and placement of an Environmental Covenant. The public may appeal this final plan by May 24, 2011. For additional information, please contact Morgan Price or Robert Newsome at (302)395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1088&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER FOULK ROAD GETTY (DE-1482) - The Site Investigation and Restoration Section (SIRS) has adopted a plan of remediation of the Former Foulk Road Getty Site located at 1712 Foulk Road, Wilmington. The 1.01 acre Site is currently the location of a bank with an asphalt parking lot and landscaping. The shallow groundwater and soil at the Site is impacted by petroleum as a result of the operations in the past. The Final Plan includes maintaining the asphalt and soil cap, vapor barrier and its components and continued operation of the Dual Phase Vacuum Extraction System under the Tanks Management Section. A Groundwater Management Zone (GMZ) will also be established. The public may appeal this final plan by May 24, 2011. For additional information, please contact Krystal A. Stanley or Robert Newsome at (302)395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1086&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Joanna Austin at the Dover Office at (302) 739-9402.

7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS – The following companies have filed an application:

The BPG Office Partners XI submitted a permit application to amend the existing Permit: APC-2007/0139-(Construction/Operation) (A1) for the

two Kewanee Boilers , each rated at 12.5 million BTU per hour heat input and located at 1105 North Market Street in Wilmington. The company requested to increase the Maximum Fuel Consumption for the two boilers for comfort heat. The maximum Nitrogen Oxides emission will not exceed 3.57 tons per year and 7.61 tons per year for Sulfur Dioxide.[The existing permitted limits for NOx and SOx emissions are 0.58 ton per year and 1.26 tons per year respectively- Permit # APC-2007/0139-(Construction/Operation)(A1). A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing by May 16, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1083&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Bracebridge Corporation (A Wholly Owned Subsidiary of Bank of America), requests a permit to construct a cold solvent cleaner at their 1203 Continental Drive, Newark facility. The cold solvent cleaner has the potential to emit (PTE) 0.285 tons per year of VOCs. By Permit# APC-2011/0146-CONSTRUCTION actual emissions will not exceed 0.285 tons per year of VOCs.

Bracebridge Corporation (A Wholly Owned Subsidiary of Bank of America), requests a permit to construct a screen printing operation at their 1203 Continental Drive, Newark facility. The screen printing operation has the potential to emit (PTE) 0.87 tons per year of VOCs, 0.288 tons per year of NOX, and 0.022 tons per year of PM. By Permit# APC-2011/0145-CONSTRUCTION actual emissions will not exceed 0.87 tons per year of VOCs, 0.288 tons per year of NOX, and 0.022 tons per year of PM.

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by May 23, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1087&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATIONS -

Notice is hereby given Croda, Inc. having a facility at 315 Cherry Lane in New Castle has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for thirty volatile organic compound (VOC) storage tanks and one cyclone. The permit will allow for VOC emissions of 242 pounds per year. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-003/00058-Renewal (R2) Revision (02) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by May 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1075&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

TITLE V PERMIT RENEWAL APPLICATIONS - Notice is hereby given that Dassault Falcon Jet – Wilmington Corp having a facility at 191 North DuPont Highway, New Castle, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00365. This “draft/proposed” permit renewal renews the facility's current Title V operating permit. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request by May 10, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1065>

<http://www.dnrec.delaware.gov/Lists/Public%20Notices%2FAllItems%2Easpx&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS - Notice is hereby given that the following companies have filed an application:

Orient Corporation of America has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for construction of a thermal oxidizer at 111 Park Avenue, Seaford, Delaware. Orient Corporation of America requests a limit for VOC/HAP and NOx emissions based on controlling emissions with a thermal oxidizer. These limits are necessary to restrict Orient Corporation of America potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the thermal oxidizer are 0.61 TPY VOC/HAP and 22.0 TPY NOx. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request by May 10, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1066&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Contractors Materials, LLC has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2(i), and 12.3 for an amendment to increase their annual production limit to 500,000 tons of hot mix asphalt at 923 South Heald Street, New Castle Avenue, New Castle. Contractors Materials, LLC requests a limit on the amount of asphalt produced. A public hearing concerning the permitting action will not be held unless the Secretary of the DNREC receives a request for a hearing by May 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1074&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

American Air Liquide has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for the modification of an existing Outdoor Combustion Test Platform at its facility located at 200 GBC Drive, Newark, Delaware. A Heat Sink will be added to the test platform and its input rating will be increased from 5 MW to 10 MW. American Air Liquide requests test platform emission limits for: NOX = 4.15 TPY, SO2 = 4.07 TPY, CO = 1.27 TPY, PM = 0.62 TPY and VOC = 0.20 TPY. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for a hearing by May 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1073&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Noramco, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to amend their existing permit at 500 Swedes Landing Road, Wilmington. Noramco, Inc. requests a limit for volatile organic compound (VOC) emissions from cleaning solvents. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for a hearing by May 17, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1072&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Port Contractors, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to make their existing construction permit for a petroleum coke rail transshipment facility at 501

Christiana Avenue, Wilmington, federally enforceable. Port Contractors, Inc. requests limits for petroleum coke throughput. This limit is necessary to restrict Port Contractors, Inc.'s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. The estimated emissions from the facility with restrictions on petroleum coke throughput are not expected to exceed the following: 11.99 tons/year of PM and 4.49 tons/year of PM10. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC by May 25, 2011. For additional information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1079&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

WATER PERMITTING PROGRAM - The Division of Water monitors, manages and protects Delaware's ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs.

WELL PERMITS – The following have submitted applications:

Corcoran Burton needs to construct a temporary dewatering system. The system is 4 trenches that are 12' deep. This well site is located north of Rt 54 in the Keenwick on the Bay development. The system is to install a swimming pool and the discharge water will go into Roys creek. The site is about a mile west of Fenwick Island. The desired capacity of this system is 100 gpm.

Greenlea LLC needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. This well site is located south of Rt 18 and west of Cr 520. The well is about 2 miles west of Georgetown. The desired capacity of this well is 600 gpm.

Edward Joseph needs to construct an irrigation well. The well is to be 100' deep and 12 inches in diameter. The site is located on the north side of Cr 472 and west of Cr 412. The well is 2 miles from Millsboro. The desired capacity of this well is 1000 gpm.

Two Farms Inc. needs to construct a temporary dewatering system. The system is for 100 points that are 23' deep. This system is located north of Rt 14 and west of Rt 13. The system is to install underground storage tanks for a new Royal Farms. The discharge water will go into a storm drain. The site is in the town limits of Harrington. The desired capacity of this system is 500 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by May 16, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1085&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Patricia Johnson needs to construct an irrigation well. The well is to be 100' deep and 8 inches in diameter. This well site is located east of Cr 305 and north of Rt 24. The well is about a mile from Millsboro. The desired capacity of this well is 500 gpm.

Clark Farms needs to construct an irrigation well. The well is to be 80' deep and 12 inches in diameter. The site is located on the south side of Rt 36 and west of Utica road. The well is 4 miles from Greenwood. The desired capacity of this well is 800 gpm.

The Town of Middletown needs to replace a public well. The well is to be 560' deep and 10 inches in diameter. This well site is located east of Cox street and north of Lake street. The well is in the town limits of Middletown. The desired capacity of this well is 320 gpm.

Anne Spicer needs to construct an irrigation well. The well is to be 80' deep and 8 inches in diameter. This well site is located east of Rt 113 and north of Cr 226. The well is about a mile from Ellendale. The desired capacity of this well is 450 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by May 23, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1090&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

SUBAQUEOUS LANDS PERMIT APPLICATIONS – The following have submitted applications:

The Nemours Foundation - (Tax Parcels 06-118.00-002 and 06-119.00-006) – To construct a weir in the culvert pipe and a rock vein in the channel using 28 cubic yards of stone rip rap and excavating 28 cubic yards of sediment from an unnamed tributary to Alapocas Run, at 1600 Rockland Road, Wilmington.

Eastern States Development – Rothwell Village (Tax Parcel No. 13-007.00-017) - To construct 64 linear feet of 6 foot by 3 foot box culvert for a road crossing in an unnamed tributary to Crystal Run, in a new residential development located between Route 896, Old Summit Bridge Road, and Lorewood Grove Road, near Summit.

E.I. duPont de Nemours and Company (Tax Parcel # 0609900001) – To maintenance dredge to a depth of 4 feet below ordinary high water, dredging 1,200 cubic yards of material from a pond in Husbands Run and dispose of the material on site at the DuPont Country Club south of Rockland Road, west of Powder Mill Road, Wilmington.

Massey's Landing Park, Inc. (Tax Parcel #234-25.00-31.00, 234-25.00-31.02) - To maintenance dredge 13,872 cubic yards of material, dredging to a depth of 4 feet below mean low water in the north lagoon and a depth of 6 feet below mean low water in the south lagoon adjacent to Massey's Ditch between Topaz Road and Lucky Lane, and dispose of the material on the north side of Long Neck Road, Millsboro.

Delmarva Power (linear project) - To temporarily place matting in tributaries to Pepper Creek, Vines Creek, Polly Branch and Sandy Branch during utility construction between the Indian River Substation and the Delaware-Maryland Line west of Selbyville.

James Fenwick Connor (Tax Parcel # 5-33-19.07-43.00) - To construct two 5 by 10 foot dock extensions in a lagoon adjacent to Roy Creek, 37806 Salty Way East, Keenwick West, Selbyville.

James B Porter & Deborah Grubbe (Tax Parcel # 3-34-19.00-183.00) - To construct a 4 by 120 foot pier, a 6 by 40 foot dock, 2 pilings for a boat lift and 2 personal watercraft lifts in Rehoboth Bay at 201 West Side Drive, Rehoboth Beach Yacht and Country Club, Rehoboth Beach.

Traci L. Burton (Tax Parcel #5-33-20.13-61.01) - To construct a 4 by 15 foot pier, a 5 by 25 foot dock and 2 personal watercraft lifts in the Assawoman Bay at 31 Bayberry Lane, Keenwick on the Bay, Selbyville.

Division of Watershed Stewardship (linear project) - To hydraulically dredge 193.4 cubic yards of sediment from 350 linear feet of a tidal tributary to the Little River and spread the material along adjacent uplands, near Little Creek.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by May 17, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1081&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

WETLANDS APPLICATIONS – The following have submitted an application:

Bethany Woods LLC (Tax Parcel #1-34-13.00-2185) - To construct a 3 by 89 foot walkway over State-regulated wetlands, and a 4 by 30 foot crabbing pier in the Salt Pond at Lot #19, Bethany Woods, Bethany Beach. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by May 17, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1081&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NPDES PERMITS – The Division of Water Resources, hereby gives notice that the National Railroad Passenger Corporation (AMTRAK) has applied for re-issuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE0050962 and State Number WPCC 3089E/85) to discharge storm water associated with industrial activity and groundwater to Brandywine River and Shellpot Creek. On the basis of a preliminary staff review and application of lawful standards and regulations, the Division proposes to re-issue the referenced permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by June 3, 2011. For additional information, please contact John DeFriece at (302) 739- 9946 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1084&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

EMPLOYEE UPDATE:

Effective April 19, the Division of Water, Water Supply Section hired Heather Helmer for general administrative assistance

CONTACT INFORMATION:

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600

Delaware Estuary Program - 302-739-9949
Division of Air Quality Director's office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Director's Office - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Hazardous Waste - 302-739-9403
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2515
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank
Compliance Program - 302-856-4561
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Stormwater Permits - 302-739-9946
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits – 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944